



**FOR IMMEDIATE RELEASE**  
**City of Duluth Communications Office**

---

411 West First Street, Duluth, Minnesota 55802  
218-730-5230 | [www.duluthmn.gov](http://www.duluthmn.gov) | Don Ness, Mayor

For more information contact Daniel Fanning, Communications & Policy Director – Mayor's Office  
218-730-5307  
or Pakou Ly, Public Information Coordinator 218-730-5309

**DATE: 08/27/2014**

**SUBJECT: Environmental Assessment Worksheet on Slip 2 in Duluth Harbor Available for Public Comment**

**BY: Pakou Ly, Public Information Coordinator**

---

## **Environmental Assessment Worksheet on Slip 2 in Duluth Harbor Available for Public Comment**

[Duluth, MN] - The City of Duluth is accepting public comments during a 30-day public review period from September 1 to October 1, 2014 on an Environmental Assessment Worksheet (EAW) that was prepared for Slip 2 (located in the Duluth harbor and borders the former Lafarge Cement Plant) capping and shallowing project.

The proposed project involves capping legacy contaminants with clean dredged material and the subsequent shallowing of Slip 2 from its current average depth of 20 feet to a new depth range of 5 to 10 feet. This action will provide a protective cap of clean dredged material over contaminated sediments, while also providing stability to the remaining dock walls associated with the Pier B site and the City of Duluth Bayfront Park.

A copy of the EAW is available online  
at <http://www.duluthmn.gov/planning/current-planning/eaw/>

Additional copies of the EAW are available for public review at:

- Duluth Public Library, 520 West Superior Street, Duluth
- Duluth Planning Office, 411 West First Street, Room 208, Duluth

The EAW will be published in the September 1, 2014 EQB Monitor. Written comments must be submitted no later than 4:30 p.m. on Wednesday, October 1, to the attention of Charles Froseth, Land Use Supervisor, 411 West First Street, Room 208, Duluth MN 55802.

The Planning Commission will take optional public comments at their September 9, 2014, Planning Commission meeting.

Electronic or email comments may be sent to [cfroseth@duluthmn.gov](mailto:cfroseth@duluthmn.gov) with “Slip 2 Capping and Shallowing” in the subject line. If submitting comments electronically, please include name and mailing address.

###